

References

- Alberto, J., & Joyner, B. (2008). Hope, optimism, and self-care among Better Breathers Support Group members with COPD. *Applied Nursing Research, 21*(4), 212-217.
- American Diabetes Association. (2010). Executive summary: Standards of medical care in Diabetes—2010. *Diabetes Care, 33*(Suppl. 1), S4-S10.
- American Society of Plastic Surgeons. (2007, May 21). *Evidence-based clinical practice guideline: Chronic wounds of the lower extremity*. Retrieved February 7, 2011, from http://www.plasticsurgery.org/Documents/Medical_Professionals/Evidence-based-Clinical-Practice-Guideline-Chronic-Wounds-of-the-Lower-Extremity.pdf
- Bankhead, R. (1999). Integration of nutrition screening into case management practice. *Nursing Case Management, 4*(3), 122-134.
- Baron, M. (2005). Reducing drug usage and adverse effects: Part 1: Diabetes Management. *Health Care Food & Nutrition Focus, 22*(4), 1, 3-7.
- Blumenthal, J., Keefe, F., Babyak, M., Fenwick, C. V., Johnson, J., Stott, K., & et al. (2009). Caregiver-assisted coping skills training for patients with COPD: Background, design, and methodological issues for the INSPIRE-II study. *Clinical Trials, 6*(2), 172-184.
- Bollero, D., Driver, V., Glat, P., Gupta, S., Lázaro-Martínez, J., Lyder, C., & et al. (2010). The role of negative pressure wound therapy in the spectrum of wound healing. *Ostomy/wound Management, (Suppl. to WOUNDS)*, 1-18.
- Boxall, A.-M., Barclay, L., Sayers, A., & Caplan, G.A. (2005). Managing Chronic Obstructive Pulmonary Disease in the community: A randomized controlled trial of home-based pulmonary rehabilitation for elderly housebound patients. *Journal of Cardiopulmonary Rehabilitation, 25*(6), 378-385.
- Bull, M.J., & McShane, R.E. (2008). Seeking what's best during the transition to adult day health services. *Qualitative Health Research, 18*(5), 597-605.
- Bumen, M.E. (2001). Family caregiver expectations and management of the stroke trajectory. *Rehabilitation Nursing, 26*(3) 94-99.
- Callahan, H.E. (2003). Families dealing with advanced heart failure: A challenge and an opportunity. *Critical Care Nursing Quarterly, 26*(3), 230-243.
- Cigna, J.A., & Turner-Cigna, L.M. (2005). Rehabilitation for the home care patient with COPD. *Home Healthcare Nurse, 23*(9), 578-586.
- Cloninger, C.R., & Zohar, A.H. (2011). Personality and the perception of health and happiness.

Journal of Affective Disorders, 128(1-2) , 24-32.

- Comerota, A.J., & Aziz, F. (2009). The case for intermittent pneumatic compression. *Journal of Lymphoedema*, 4(2), 57-64.
- Cook, J.A., Copeland, M.E., Corey, L., Buffington, E., Jonikas, J.A., Curtis, L.C., & et al. (2010). Developing the evidence base for peer-led services: Changes among participants following Wellness Recovery Action Planning (WRAP) education in two statewide initiatives. *Psychiatric Rehabilitation Journal*, 34(2), 113-120.
- Deen, T.L., Fortney, J.C., & Pyne, J.M. (2010, October 27). Relationship between satisfaction, patient-centered care, adherence and outcomes among patients in a collaborative care trial for depression. *Administration and Policy in Mental Health*. Retrieved February 7, 2011, from <http://www.springerlink.com/floyd.lib.umn.edu/content/8464481451gpur57/fulltext.pdf>
- Delahanty, L. (2010, August). Research charting a course for evidence-based clinical dietetic practice in diabetes. *Journal of Human Nutrition and Dietetics*, 23(4), 360-370.
- Delate, T., Chester, E.A., Stubbings, T.W., & Barnes, C.A. (2008). Clinical outcomes of a home-based medication reconciliation program after discharge from a skilled nursing facility. *Pharmacotherapy*, 28(4), 444-452.
- Dickerson, S.S., Posluszny, M., & Kennedy, M.C. (2000). Help seeking in a support group for recipients of implantable cardioverter defibrillators and their support persons. *Heart & Lung*, 29 (2), 87-96.
- Dunbar, S.B., Clark, P.C., Quinn, C., Gary, R.A., & Kaslow, N.J. (2008). Family influences on heart failure self-care and outcomes. *Journal of Cardiovascular Nursing*, 23(3), 258-265.
- Dunstan F., Weaver N., Araya, R., Bell, T., Lannon, S., Lewis, G., & et al. (2005). An observation tool to assist with the assessment of urban residential environments. *Journal of Environmental Psychology*, 25(3), 293-305.
- Escalera, R., Cardoso, M., Rego, J., Macedo, P., & Midoes, A. (2010). Efficacy of a two-component compression system for the therapy of venous leg ulcers. *Journal of Wound Care*, 19(3), 104-109.
- Etters, L., Goodall, D., & Harrison B.E. (2008). Caregiver burden among dementia patient caregivers: A review of the literature. *Journal of the American Academy of Nurse Practitioners*, 20(8), 423-428.
- Family Caregiver Alliance (2006). *Caregiver assessment: Principles, guidelines and strategies for change*. Report from a National Consensus Development Conference (Vol. I). San Francisco: Author.

- Finlayson, K., Edwards, H., & Courtney, M. (2010). The impact of psychosocial factors on adherence to compression therapy to prevent recurrence of venous leg ulcers. *Journal of Clinical Nursing, 19*(9-10), 1289-1297.
- Finch, D., & Beaty, C.D. (1997). The utility of a single sputum specimen in the diagnosis of tuberculosis: Comparison between HIV-infected and non HIV-infected patients. *Chest, 111*(5), 1174-1179.
- Fralic, J., & Griffin, C. (2001). Nutrition and the elderly: A case manager's guide. *Lippincott's Case Management, 6*(4) 177-182.
- Garfinkel, D., & Mangin, D. (2010). Feasibility study of a systematic approach for discontinuation of multiple medications in older adults. *Archives of Internal Medicine, 170*(18), 1648-1654.
- Hampton, D.C. (1996). *The effect of nursing coordinated care delivery on patient empowerment and selected clinical outcomes*. Unpublished doctoral dissertation, University of Cincinnati, Cincinnati.
- Heisler, C. (2000). Elder abuse and the criminal justice system: New awareness, new responses. *Generations, 14*(2), 52-58.
- Heart Failure Society of America. (2010). Executive summary: HFSA 2010 comprehensive heart failure practice guideline. *Journal of Cardiac Failure, 16*(6) 475-539.
- Heart Failure Society of America. (2010). HFSA 2010 comprehensive heart failure practice guideline. *Journal of Cardiac Failure, 16*(6) e1-e194.
- Honea, N., Brintnall, R., Given, B., Sherwood, P., Colao, D., & Somers, S. (2008). Putting evidence into practice: Nursing assessment and interventions to reduce family caregiver strain and burden. *Clinical Journal of Oncology Nursing, 12*(3). 507-516.
- Institute for Clinical Systems Improvement. (2009, December). *Health care guideline: Heart failure in adults* (11th ed.). Bloomington, MN: Author.
- Institute for Clinical Systems Improvement. (2010, April). *Health care protocol: Pressure ulcer prevention and treatment* (2nd ed.). Bloomington, MN: Author.
- Johanse, N., Kondrup, J., Plum, L.M., Bak, L., Norregaard, P., Bunch, E., & et al. (2004). Effects of nutritional support on clinical outcomes in patients at nutritional risk. *Clinical Nutrition, 23*(4), 539-550.
- Julius, R., Novitsky, M., & Dubin, W. (2009). Medication adherence: A review of literature and implication. *Journal of Psychiatric Practice, 15*(1), 34-44.

- Kasper, J., Pezzin, L.E., & Rice, J.B. (2010). Stability and changes in living arrangements: Relationship to nursing home admission and timing of placement. *The Journals of Gerontology: Series B*, 65B(6), 783-791.
- Kilgore, M.D.C. (2010). Transitional case management: A method for establishing self-advocacy and reducing hospital readmissions in COPD patients. *Home Health Care Management & Practice*, 22(6), 435-438.
- Kirkevold, M. (2010). The role of nursing in the rehabilitation of stroke. *Advances in Nursing Science*, 33(1), E27-E40.
- Kisely, S., Campbell, L.A., Peddle, S., Hare, S., Pyche, M., Spicer, D., & et al. (2010). A controlled before-and-after evaluation of a mobile crisis partnership between mental health and police services in Nova Scotia. *Canadian Journal of Psychiatry*, 55(10), 662-668.
- Leung, S.S., Leung, C., Lam, T.H., Hung, S.F., Chan, R., Yeung, T., & et al. (2010, September 29). Outcome of a postnatal depression screening programme using the Edinburgh Postnatal Depression Scale: A randomized controlled trial. *Journal of Public Health Advance Access*. Retrieved February 7, 2011, from <http://jpubhealth.oxfordjournals.org/content/early/2010/09/29/pubmed.fdq075.full.pdf+html>
- Liu, C.F., Chapko, M., Bryson, C.L., Burgess, J.F., Jr., Fortney, J.C., Perkins, M., & et al. (2010). Use of outpatient care in Veterans Health Administration and Medicare among veterans receiving primary care in community-based and hospital outpatient clinics. *Health Services Research*, 45(5), 1268-86.
- McHugh, G., Chalmer, K., & Luker, K. (2007). Caring for patients with COPD and their families in the community. *British Journal of Community Nursing*, 12(5), 219 – 222.
- Messeccar, D.C. (2008). Family caregiving. In Fulmer T., Capezuti E., Zwicker D., Mezey M. (Eds.), *Evidence-based geriatric nursing protocols for best practice*, 3rd ed. (127-160). New York (NY): Springer Publishing Company.
- Miller, E.L., Murray, L., Richards, L., Zorowitz, R.D., Bakas, T., Clark, P., & Billinger, S.A. (2010). Comprehensive overview of nursing and interdisciplinary rehabilitation care of the stroke patient: A scientific statement from the American Heart Association. *Stroke*, 41(10), 2402-2448.
- Morris, K. (2005). Strategies for acquiring affordable medications for seniors. *Nursing Clinics of North America*, 41(1), 51-62.
- Muehlbauer, M., & Crane, P.A. (2006). Elder abuse and neglect. *Journal of Psychosocial Nursing & Mental Health Services*, 44(11), 43-48.

- Ayello E.A., & Sibbald R.G. (2008). Preventing pressure ulcers and skin tears. In Capezuti E., Zwicker D., Mezey M., Fulmer T. (Eds.). *Evidence-based geriatric nursing protocols for best practice*, 3rd ed. (403-429). New York (NY): Springer Publishing Company.
- Naylor, M. (2006). Transitional care: A critical dimension of the home healthcare quality agenda. *Journal for Healthcare Quality*, 28(1), 48-54.
- Nedorost, S.T., & Stevens, S.R. (2001). Diagnosis and treatment of allergic skin disorders in the elderly. *Drugs & Aging*, 18(11), 827-835.
- Nguyen, M. (2009). Nurse's assessment of caregiver burden. *MEDSURG Nursing*, 18(3), 147-152.
- Papadopoulos, L., Bor, R., & Legg, C. (1999). Psychological factors in cutaneous disease: An overview of research. *Psychology, Health & Medicine*, 4(2), 107-126.
- Park, E.-J., Huber, D.L., Tahan, H.A. (2009). The evidence base for case management practice. *Western Journal of Nursing Research*, 31(6), 693-714.
- Booker, R. (2008). Spirometry in primary care. *Primary Health Care*, 18(10) 37-47.
- Pryor J., & O'Connell, B. (2009). Incongruence between nurses' and patients' understanding and expectations of rehabilitation. *Journal of Clinical Nursing*, 18(12) 1766-1774.
- Quinn, C. (2006). Low-technology heart failure care in home health: Improving patient outcomes. *Home Healthcare Nurse*, 24(8), 533-540.
- Resnick, B., Galik, E., Gruber-Baldini, A., & Zimmerman, S. (2009). Implementing a restorative care philosophy of care in assisted living: Pilot testing of Res-Care-AL. *Journal of the American Academy of Nurse Practitioners*, 21(2), 123-133.
- Rizzi, M., Grassi, M., Pecis, M., Andreoli, A., Taurino, AE., & Sergi, M. (2009). A specific home care program improves the survival of patients with Chronic Obstructive Pulmonary Disease receiving long term oxygen therapy. *Archives of Physical Medicine & Rehabilitation*, 90(3), 395-401.
- Rokosky, J.M. (1997). Misuse of metered-dose inhalers: Helping patients get it right. *Home Healthcare Nurse*, 15(1), 13-21.
- Ryburn, B., Wells, Y., & Foreman, P. (2009). Enabling independence: Restorative approaches to home care provision for frail older adults. *Health & Social Care in the Community*, 17(3), 225-234.
- Saunders, M.M. (2010). Working and caregiving: A comparison of employed and unemployed caregivers of older heart failure patients. *Holistic Nursing Practice*, 24(1), 16-22.

- Schoneman, D. (2002). Surveillance as a nursing intervention: Use in community nursing centers. *Journal of Community Health Nursing, 19*(1), 33- 47.
- Shearer, J. (2009). Improving oral medication management in home health agencies. *Home Healthcare Nurse, 27*(3), 184-191.
- Shugman, L.R., Fries, B.E., Wolf, R.S., & Morris, J.N. (2003). Identifying older people at risk of abuse during routine screening practice. *Journal of the American Geriatrics Society, 51*(1), 24-31.
- Siegel, J.D., Rhinehart, E., Jackson, M., Chiarello, L., Healthcare Infection Control Practices Advisory Committee. (2006). *Management of multidrug-resistant organisms in healthcare settings, 2006. Centers for Disease Control and Prevention*. Retrieved February 7, 2011, from <http://www.cdc.gov/ncidod/dhqp/pdf/ar/mdroguideline2006.pdf>
- Smith, K. (2005). Weight loss through behavior modification. *Health Care Food & Nutrition Focus, 22*(4), 8-11.
- Stefanacci, R.G., Cavallaro, E., Beers, M.H., & Fick, D.M. (2009). Developing explicit positive beers criteria for preferred central nervous system medications in older adults. *The Consultant Pharmacist, 24*(8), 601-610.
- Swartz, M.S., Wilder, C.M., Swanson, J.W., Van Dorn, R.A., Robbins, P.C., Steadman, H.J., & et al. (2010). Assessing outcomes for consumers in New York's assisted outpatient treatment program. *Psychiatric Services, 61*(10), 976-981.
- Tang, W.H., Francis, G.S., Morrow, D.A., Newby, L.K., Cannon, C.P., Jesse, R.L., & et al. (2007). National Academy of Clinical Biochemistry laboratory medicine practice guidelines: Clinical utilization of cardiac biomarker testing in heart failure. *Circulation, 116*(5), E99-E109.
- Tanner, E.K. (2003). Assessing home safety in homebound older adults. *Geriatric Nursing, 24*(4), 250-256.
- Taylor, D., Robinson, J., MacLeod, D., MacBean, C., & Braitberg, G. (2009). Therapeutic errors involving adults in community setting: Nature, causes, and outcomes. *Australian and New Zealand Journal of Public Health, 33*(4), 388-394.
- Thomas, M.E. (2008). The providers' coordination of care: A model for collaboration across the continuum of care. *Professional Case Management, 13*(4), 220-227.
- Thornton, M., & Travis, S.S. (2003). Analysis of the reliability of the Modified Caregiver Strain Index. *The Journals of Gerontology: Series B, 58B*(2), S127-S132.
- Welch, E.K., Delate, T., Chester, E.A., & Stubbings, T. (2009). Assessment of the impact of medication therapy management delivered to home-based Medicare beneficiaries. *The*

- Annals of Pharmacotherapy*, 43(4), 603-610.
- Westlake, C., Dyo, M., Vollman, M., & Heywood, J.T. (2008). Spirituality and suffering of patients with heart failure. *Progress in Palliative Care*, 16(5-6), 257-265.
- Windham, B., Griswold, M., Fried, L., Rubin, G., Xue, Q., & Carlson, M. (2005). Impaired vision and the ability to take medications. *Journal of the American Geriatrics Society*, 53(7), 1179-1190.
- Winslow, E.H. (1996). Research for practice. *American Journal of Nursing*, 96(2), 59.
- Wolff, J.L., Rand-Givannetti, E., Palmer, S., Wegener, S., Reider, L., Frey, K., & et al. (2009). Caregiving and chronic care: The guided care program for families and friends. *The Journals of Gerontology: Series A*, 64A(7), 785-791.
- Woo, K., & Sibbald, R. (2009). The improvement of wound-associated pain and healing trajectory with a comprehensive foot and leg ulcer care model. *Journal of Wound, Ostomy, and Continence Nurse*, 36(2), 184-191.
- Wowchuk, S., Wilson, A., Embleton, L., Gracia, M., Harlos, M., & Chochinov, H. (2009). The palliative medication kit: An effective way of extending care in the home for patients nearing death. *Journal of Palliative Medicine*, 12(9), 797-802.
- Wu, J.R., Moser, D.K., Chung, M.L., & Lennie, T.A. (2008). Objectively measured, but not self-reported, medication adherence independently predicts event-free survival in patients with heart failure. *Journal of Cardiac Failure*, 14(3), 203-210.

Acknowledgements

Literature search and review conducted by University of Minnesota School of Nursing Population Health Informatics students:

Judith A. Beniak
Lynn D. Borstelmann
Grace Gao
Mary K. Gatzke
Shanne Keeny
Alison C. Romstad
Kim L. Paxton
Dawn M Strief